


MASTER P

DOUBLE HEAD CUTTING OFF MC

Gemma Group srl - Via Dante Alighieri 6,
47852 Coriano (RN) - Italy
0039 0541 905810

www.gemma-group.com
info@gemma-group.com

MASTER P



- Double head cutting off machine with a fixed sawing head on the left and one movable on the right side. Automatic positioning of the movable head
- **Pneumatic** tilting of the sawing units **20° / 45° / 90° / 135°** with mechanical stops for intermediate degrees
- Spray mist lubrication (Venturi)
- Brushless motor for axe positioning.
- Plc with 8" touch-screen for creation and management cuts
- Possibility to memorize and load cutting list via USB or Ethernet connection

STANDARD EQUIPMENT

Nr. 2 TCT Saw Blades 600mm
Safe guards on the cutting area
Nr.4 Horizontal pneumatic clamps
Micro drop oil lubrication
Air gun 6mtrs length
Movable side support
Pneumatic central support
Air filter

OPTIONALS

TCT Saw Blade D.600mm (spare)
Nr.2 Vertical pneumatic clamps
Automatic device measuring profile height
Label printer

MASTER P

GENERAL SPECIFICATIONS

Blade diameter:	600 mm
Spindle diameter:	30 mm
Number of blade revs:	2760 giri/1' r.p.m.
Cutting speed:	80 m/sec
Advancement speed :	adjustable
Minimum cutting length (between two blades) :	370 mm
Maximum cutting length (between two blades) :	5000 mm
Air consumption for cycle :	32 NI.
Cutting angles :	20° ÷ 135°
Working pressure:	7 bar
Motor power:	50 Hz / 3 kW
Motor power:	60 Hz / 3.6 kW

PROFILO: capacità taglio (mm)
PROFILE: cutting capacity (mm)



90°



200x200

270x150 / 320x100

45°

175x175

200x140 / 230x100



mm

kW

kg


mm

600

3

2550

6400x1700x2150



**Gemma
Group**

